

UTC-S158XA

15inch Industrial Panel PC



Features

- Intel 7th Gen. Core i3 i5 i7 Processor
- 15inch LED Panel with resistive / capacitive touchscreen
- System memory up to 16GB DDR4
- HDMI+VGA Dual Display
- Fanless design and low power consumption
- Front Panel IP65 Level
- Wireless design
- Supports Win 7/ Win 8/ Win 10/ Linux OS




UTC-S158XA is an intelligent, fanless panel PC, 15" Panel PC equipped with an Intel® 7th Gen Core i3/i5/i7 processor. Meeting the demands of harsh environments, in addition, the dual GbE LAN, 6 x serial ports, 6 x USB ports, make device connection and integration easy.

Specifications

Processor	CPU	Intel® i3-7100U Dual Core up to 2.40 GHz 3M Cache, TDP 15W Intel® i5-7200U Dual Core up to 3.10 GHz 3M Cache, TDP 15W Intel® i7-7500U Dual Core up to 3.50 GHz 4M Cache, TDP 15W	
	Cooling System	Fanless	
	Memory	1x DDR4 2133Mhz SO-DIMM Sockets, up to 16GB	
	Storage	1x mSATA SSD, Full Size 1x SATA 2.5' ' SSD	
	I/O ports		6xUSB3.0 (Type-A) 6xRS232, support 5V/12V, DB9
			Dual Display: 1xHDMI (1920*1200 @30Hz) 1xVGA (1920*1200 @30Hz)
			1xAudio Expansion: MINI-PCIE
Network(LAN)	2x 10/100/1000Mbps Ethernet		
Input Voltage	Input Voltage	12V DC(2 Pin Aviation Connector) , optional 9V-36V DC	
LCD Display	Display Type:	15inch TFT LED Panel(LED Backlight)	
	Max. Resolution:	1024x768 / 4:3	
	Luminance(cd/m ²)	300nits	
Touchscreen	Touch Type	5-wire Resistive Touch/ Capacitive Touch	

OS Support	OS Support	Microsoft Windows 7/ Windows 8/ Windows 10/ Linux
Environment	Operating Temperature	0°C ~ 50°C
	Storage Temperature	-10°C ~ 60°C
	Front Panel Protection	IP65 compliant
Mechanical	Dimensions	(W*D*H): 358.3x282.2x72.8mm; Mounting Cut out (W*D): 337.5x261.4mm
	Weight	4.9KG N.W.
	Color	Black
	Material	Aluminum + SUS
	Certification	CE / UL / RoHS







Packing List	Ordering Information
1x UTC-S158XA	UTC-S1581A: 5-wire Resistive Touch Version
1x Driver CD	UTC-S1582A: Projected Capacitive Touch Version
1x Power Adapter	Operating Systems
Optional accessories	WIN7 32bit 64bit ENG,
VESA Bracket	WIN8 32bit 64bit ENG,
Power Cable 2-pin 200cm	WIN10 32bit 64bit ENG