Rugged Handheld EM-Q62





Functions

- Support for Android 5.1 system
- Integrated 4G all network communication, WiFi, Bluetooth and other communication modes
- Equipped with 5000mAh large capacity battery, the machine has a endurance of 6-8 hours
- IP65 high protection level, in accordance with MIL-STD-810G
- Support GPS, more accurate positioning
- Equipped with 8 million pixel auto focus camera, easy to collect images and video information
- Support 1D / 2D, NFC and other functional modules to meet the application needs of multiple industries

Product Six Views



Optional Accessories





Docking Charger

Back Clip Battery



Scannig Trigger



UHF Handle







@entgroup
095-739-1053 , 02-045-6104
mkt@entgroup.co.th
www.entgroup.co.th

Specification Parameter

Basic parameters	
Dimension	185x93x20.7mm
Weight	device unit 380g
Device Color	black
LCD	6" 720 x 1280 IPS
Touch Panel	5 points Capacitive, G+F
Camera	2.0MP Front,8.0MP Rear
Ι/Ο	Charge and OTGx1 Micro TFx1 Micro SIMx1 Earphone Jack x1 POGO PIN x1,SDHC/SDXCx1
Power	AC100V ~ 240V, 50Hz/60Hz output DC 5V/2A
GPS	support GPS
Performance parameter	
CPU	Qualcomm MSM8909 QuadCore
OS	Android 5.1
RAM	1GB/2GB LPDDR3
ROM	16GB/32GB

Battery		
Capacity	3.7V / 5000mAh	
Туре	Built-in Lithium-ion polymer battery	
Endurance	8hrs	
Network connections		
WIFI	2.4G+5G dual band WiFi, WiFi 802.11(a/b/g/n)	
Bluetooth	BT4.0 (BLE) class1 transmission distance: 10m	
3G/4G	CMCC 5M: LTE 1/2/3/4/5/7/17/20/38/39/40/41 WCDMA: 1/2/5/8 TD–SCDMA: 34/39 GSM: 2/3/5/8	
Reliability		
Operate Temperature	-10 °C ~ 50 °C	
Store Temperature	-30 °C ~ 70 °C	
Humidity	95% Non-Condensing	
IP Grade	IP65,MIL-STD-810G	
Data Collection		
NFC	Built-in	
1D	Zebra SE2100 Optional Zebra SE4710 Honeywell N6703	
2D		

Application Range

The handheld terminal with RFID UHF technology is widely used, which can meet the application in retail, storage material management, finance, express delivery, medical and other fields.



Warehouse Management

Market





Mobile Payment







