

UTC-S1092A

10inch Industrial Panel PC



Features

- Aluminum die-casting chassis, fanless design
- Wireless Design
- 10inch LED TFT LCD, capacitive touch
- Intel 10th Gen. Core I3/I5/I7 CPU
- 3*COM, 2*LAN, 6*USB3.0
- AT & ATX Model
- Front Panel IP65 Level
- DC 9~36V power input optional




UTC-S1092A is an intelligent, fanless panel PC, 10" Panel PC equipped with an Intel® Bay Trail processor. Meeting the demands of harsh environments, in addition, the dual GbE LAN, 3 x serial ports, 6 x USB ports, make device connection and integration easy.

Specifications

Processor	CPU	Intel® i3-10110U Dual Core, 2.10-4.10 GHz 4M Cache, TDP 15W Intel® i5-10310U Quad Core, 1.70-4.40 GHz 4M Cache, TDP 15W	
	Cooling System	Fanless	
	Memory	1x DDR4 2133Mhz SO-DIMM Sockets, up to 16GB	
	Storage	mSATA SSD Full Size + SATA 2.5 inch SSD	
	I/O ports		6xUSB3.0, Type-A COM: 3xRS232, DB9, 2*RS485 optional
			Dual Display: 1xHDMI (1920*1200 @30Hz) 1xVGA (1920*1200 @30Hz)
			Audio: 1×Mic-in, 1x Line-out
			Wi-Fi: 802.11a/g/n, 2x2 Antenna, 2.4/5 GHz, 300 Mbps Max Speed
Network(LAN)	2x 10/100/1000Mbps Ethernet		
Input Voltage	Input Voltage	12V DC(3 Pin Phoenix Connector), optional 9V-36V DC	
	Control SW/LED	Power Button, AT & ATX Model	
LCD Display	Display Type:	10inch TFT LED Panel(LED Backlight)	
	Max. Resolution:	1024x768 / 4:3	
	Luminance(cd/m ²)	300nits	
Touchscreen	Touch Type	Capacitive Touch	

OS Support	OS Support	Windows 7/ Windows 8/ Windows 10/ Linux
Environment	Operating Temperature	0°C ~ 50°C (extend temperature optional)
	Storage Temperature	-10°C ~ 60°C
	Front Panel Protection	IP65 compliant
Mechanical	Dimensions	(W*H*D): 254.3x206.3x64.8mm cutout size: 241.7*186.2mm
	Weight	2.6KG (N.W.)
	Color	Black
	Material	Aluminum
	Certification	CE / UL / RoHS







Packing List	Ordering Information
1x UTC-S1092A	UTC-S1092A-1: Projected Capacitive Touch Version
1x Driver CD	Operating Systems
1x Power Adapter	WIN7 32bit 64bit ENG
Optional accessories	WIN8 32bit 64bit ENG
VESA Bracket	WIN10 32bit 64bit ENG
Power Cable 2-pin 200cm	Linux Ubuntu 12.04/16.04/18.04